

IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A method in a telecommunications system where a sending entity may send units to a first receiving entity, the method comprising the steps of:
sending a unit to the first receiving entity;
receiving no response from said first receiving entity; and
indicating a possible duplication of said unit when resending it, the possible duplication showing that said unit was resent because no response was received.
2. (Original) The method of claim 1, further comprising the step of also indicating the sending entity when indicating said possible duplication.
3. (Original) The method of claim 1 wherein the possible duplicate is indicated in the unit when resending said unit to the second receiving entity.
4. (Original) The method of claim 3, further comprising the steps of:
noticing that the first receiving entity is operating;
checking whether the first receiving entity received said unit; and
sending a release message to the second receiving entity when said unit was not received in the first receiving entity; or
sending a cancel message to the second receiving entity when said unit was received in the first receiving entity.
5. (Original) The method of claim 3, further comprising the steps of:
noticing that the first receiving entity is operating;
checking whether the first receiving entity received said unit by resending said unit;
and
sending a release message or a cancel message to the second receiving entity when said unit was not received in the first receiving entity; or

sending a cancel message to the second receiving entity when said unit was received in the first receiving entity.

6. (Original) The method of claim 4, further comprising the steps of:
receiving said unit in the second receiving entity;
storing said unit in response to said indication; and
sending said unit in response to said release message from the second receiving entity towards its destiny; or
deleting said unit in response to said cancel message.

7. (Original) The method of claim 1, further comprising the steps of:
receiving said unit in its end system;
checking only in response to said indication whether the unit is a duplicate.

8. (Original) The method of claim 1, further comprising the step of indicating the possible duplication by adding said indication to the unit before resending it.

9. (Currently Amended) A method in a telecommunications system where a sending entity may send units to a first receiving entity, the method comprising the steps of:
sending a unit to the first receiving entity;
receiving no response from said first receiving entity;
indicating a possible duplication of said unit when resending it, the possible duplication showing that said unit was resent because no response was received;
receiving said unit in its end system; and
checking only in response to said indication whether the unit is a duplicate.

10. (Currently Amended) A method in a telecommunications system where a sending entity may send units to a first and a second receiving entity, the method comprising the steps of:
sending a unit to the first receiving entity;
receiving no response from said first receiving entity;

indicating a possible duplication of said unit when resending it to the second receiving entity, the possible duplication showing that said unit was resent because no response was received;

storing, in the second receiving entity, said unit in response to said indication;
noticing that the first receiving entity is operating;
checking whether the first receiving entity received said unit;
sending a release message to the second receiving entity when said unit was not received in the first receiving entity;
sending said unit in response to said release message from the second receiving entity towards its destiny; or
sending a cancel message to the second receiving entity when said unit was received in the first receiving entity; and
deleting said unit in response to said cancel message.

11. (Currently Amended) A transmission system comprising
at least one receiving entity, and
a sending entity being arranged, when not receiving a response from a first receiving entity to which it sent a unit, to indicate a possible duplication of said unit when resending it, the possible duplication showing that said unit was resent because no response was received.

12. (Original) The system of claim 11, wherein said sending entity is further arranged to indicate also the sending entity when indicating said possible duplication.

13. (Original) The system of claim 11 wherein the sending entity is arranged to indicate said possible duplication when resending said unit to a second receiving entity.

14. (Original) The system of claim 13 wherein the receiving entity is arranged to check from a received unit whether it includes said indication and in response to said indication to wait for instructions on how to handle said unit.

15. (Original) The system of claim 11 wherein the receiving entity is arranged to check from a received unit whether it includes said indication and in response to said indication to wait for instructions on how to handle said unit.

16. (Original) The system of claim 11, further comprising an end system which is arranged to check from a received unit whether it includes said indication and only in response to said indication to check whether said unit is a duplicate.

17. (Currently Amended) A network node which is adapted to be a sending entity in a network, ~~which~~ the network node is being arranged to send ~~an a~~ a unit to a first receiving entity and when not receiving a response from the first entity to which it sent a unit, to indicate that said unit is a possible duplication when resending said unit, the possible duplication showing that said unit was resent because no response was received.

18. (Original) The network node of claim 17 being further arranged to indicate the sending entity when indicating said possible duplication.

19. (Original) The network node of claim 17 being further arranged to indicate said possible duplication when resending said unit to another entity.

20. (Original) The network node of claim 19 being further arranged to have a priority list of entities to which it may send units and to send the unit to the entity having the next lowest priority.

21. (Currently Amended) A network node which is adapted to be a part of an end system in a network, ~~wherein~~ the network node is being arranged to check whether the unit is a duplicate only in response to receiving a unit having an indication indicating a possible duplication of said unit, the possible duplication showing that said unit was resent because no response was received.

22. (Currently Amended) A network node which is adapted to be an intermediate node in a network, wherein the network node is arranged to check when receiving a unit whether it is indicated to be a possible duplication of said unit, the possible duplication showing that said unit was resent because no response was received, and, in response to said indication, to wait for instructions on how to handle said unit.